Flat Flexible Cables and Flat Cable Assemblies



appapa

www.axon-cable.com

Contents

General Information	2
Flat Flexible Cables AXOJUMP™	12
– 0.30 mm pitch Flat Flexible Cables: miniature versions – Identification code	12 15
– 0.50, 1.00 and 1.25 mm pitch, 100 micron conductors: standard versions – Identification code	16 20
– 0.50, 1.00 and 1.25 mm pitch, 50 and 35 micron conductors: flexible & extra-flexible versions – Identification code	21 25
– 1.00 and 1.25 mm pitch, 25 micron conductors: ultra-flexible versions – Identification code	26 29
– Shielded Flat Flexible Cables – Identification code	30 34
Flat Cables with round pins AXOSTRIP™	35
 Identification code 	38

Bulk Flat Flexible	
Cables FLEXLINK™	40
– Standard bulk Flat Cables	40
– Identification code	41
– Custom-designed cables	
for switch rotary connectors	42
Flat Display	
Connections AXOLINK™	43
– Identification code	48
Flat Display Connection	
for High Speed (LVDS)	
3	
and Ultra High Speed (UHS)	//0
transmission FDC 100®	49
- Identification code	55



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

General Information

AXON', manufacturer of cables and interconnect solutions for advanced technologies, offers a complete range of Flat Cables and Assemblies :

> > FFC-Flat Flexible Cables AXOJUMP™,

> Flat Cables with round pins AXOSTRIP™,

> > Bulk Flat Flexible Cables FLEXLINK™,

> FDC-Flat Display Connections AXOLINK™.

 Flat Display Connections for High Speed (LVDS) and Ultra High Speed (UHS) transmission FDC 100[®].

From standard Flat Cables to custom designed Assemblies, AXON' offers a wealth of expertise to meet challenging customer requirements.



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

FFC- Flat Flexible Cables: AXOJUMP™

Designed for board-to-board interconnections, AXOJUMP[™] standard Flat Flexible Cables are made up of flat conductors insulated with Polyester or Polyimide tapes (from 0.30 mm to 1.25 mm pitch).

AXON' has developed a wide range of custom designed Flat Flexible Cables incorporating folds, shields, notches, punching, slitting and marking.

The termination of Flat Flexible Cables is made either:

- with ZIF (Zero Insertion Force) / LIF (Low Insertion Force) connectors: the cables are equipped with reinforcement tape to strengthen the ends,

- by soldering.

Flat Cables with round pins: AXOSTRIP™

AXOSTRIP^M - Flat Cables with round pins can be soldered or inserted to achieve board-to-board interconnections.

Bulk Flat Flexible Cables: FLEXLINK™

FLEXLINK[®]-Bulk Flat Flexible Cables are made with flat conductors insulated with Polyester film. They are used for any application where space reduction and flexibility are the most important criteria. The termination of Flat Bulk Cables is made with crimped contacts.

FDC- Flat Display Connections: AXOLINK™


AXOLINK[™]-FDC-Flat Display Connections have been designed for board to display interconnections. They consist of AXOJUMP[™] standard Flat Flexible Cables and connectors such as: DF-9, DF-19, FI-SE, FI-X at one or both ends.

Flat Display Connections for High Speed (LVDS) and Ultra High Speed (UHS) transmission: FDC 100® j

A special range called FDC 100[®] has also been developed for connecting full HD and ultra high definition displays with LVDS (Low Voltage Differential Signaling) and V-by-One[®] HS protocol. This assembly consists of a 21, 31, 41 or 51 way 0.50 mm pitch shielded flat cables, terminated with connectors compatible with the board-mount FI-R connectors. Cables are compatible with ZIF Molex and FH41 Hirose connectors.



FLAT FLEXIBLE CABLES FOR LIF CONNECTOR



FLAT CABLES WITH ROUND PINS




BULK FLAT FLEXIBLE CABLES



FDC-FLAT DISPLAY CONNECTIONS

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com



Applications

AXON' Flat Cables and Assemblies can be used in numerous application areas:

> Automotive industry car radios, GPS systems, switch rotary connectors, headliners, door panels.


> Medical applications

- Consumer electronics
 CD and DVD players, TV,
 LCD displays, hi-fi systems, satellite receivers and decoders.
- Telecommunications telephones, fax machines.
- IT equipment notebooks, scanners, printers.
- Household equipment glass-ceramic cooking plates, refrigerators, dishwashers.
- Military electronics missiles, weapon systems.
- > Robotic applications
- Aeronautics
 LCD diplays, electronic devices.

Advantages

AXON' Flat Cables and Assemblies offer many advantages:

- Extremely small dimensions: low profile - narrow width - fine pitch,
- Simple and fast installation: time saving cost reduction,
- Compatible with ZIF/LIF connectors,
- Excellent flexibility and flex-life,



CONNECTION BY SOLDERING



FLAT DISPLAY CONNECTION



•••••••••

Production

AXOJUMP[™] Flat Flexible Cables are manufactured in AXON's production sites in Europe and Asia, using state-of-the-art manufacturing equipment.

AXON' specialises in FFC manufacturing ranging from wire drawing, plating and rolling of conductors to insulation, final cutting and shielding.

Conductor manufacturing

AXON' manufactures its own flat conductors. The main materials used are:

- Bare copper,
- Tin alloy plated copper,
- Gold plated copper.

AXON's expertise in conductors allows for a wide range of flat cables with different levels of flexibility.

The modern manufacturing equipment allows perfect dimensional precision, electrical resistance control and production of long continuous lengths.

Cable insulation

AXON' insulates the conductors with laminated Polyester or Polyimide tapes.

Packaging

Each container is marked with the following:

- AXON'CABLE.
- Reference of the product.
- Batch number.
- Quantity.

Storage conditions

- Pieces packaged in original packaging.
- Temperature: -20°C to 40°C.
- Relative humidity: 70 % max.
- Storage duration:
- 1 year max. (tin plated conductors).
- 3 years max. (gold plated conductors).



FLAT COPPER CONDUCTOR



FLAT CABLE INSULATION



FLAT CABLE WORKSHOP





Quality assurance

AXON' is accredited to:

- > ISO 9001,
- > ISO TS 16949,
- > ISO 14001,
- > EN 9100,
- > ISO 13485,
- > ISO 45001.

AXON's continuous improvement plan called "SOLON" is based on the EFQM model (European Foundation for Quality Management).

In addition to in-line controls throughout the manufacturing area, AXON' applies "Statistical Process Control" methods (SPC) as well as standard problem solving and continuous improvement methods. TPM (Total Productive Maintenance) is applied in order to improve productivity.

AXON' conforms to the latest RoHS European Directives and REACH regulation. Please consult our website for the latest information:

www.axon-cable.com/Customer Area/ RoHS and EU directives.

In addition, AXON's products have been recorded in the IMDS database (International Material Data System) since 2003, in which the make-up of product is indicated.

Design, Research, Innovation and Development

At the company's headquarters, as well as in each country where AXON' has a subsidiary -Germany, Great Britain, USA, Latvia, Hungary, China, Mexico, India, Brazil - engineering teams provide local technical support.

The Research and Development Department located in France concentrates on the following areas:

Metal technologies

- Metal plating of the conductors,
- Drawing Laminating Annealing.

Plastics technology


- Insulation Jacketing,
- Moulding Overmoulding.

Electronics

- EMI/EMC,
- RF and high speed data.

Interconnection technology

- Soldering,
- Welding,
- Contact crimping
- Connectors.




IN-LINE CONTROLS



ENGINEERING DEPARTMENT





Connection

Connection with connectors

AXON' flat cables are designed for LIF (Low Insertion Force) or ZIF (Zero Insertion Force) connectors from most connector manufacturers.

Connection with crimped contacts

1.27 and 2.54 mm pitch FFC's can be terminated with crimped contacts or provided ready for crimping.

Connection with soldering

Reflow soldering is suited for termination of flat cables to printed circuit boards.

AXON' uses a semi-automatic hot bar soldering process to manufacture FFC/PCB connections. The two parts are assembled using a thermode.

> Recommended PCB configuration


- Tin thickness on the soldering pads: 5 to 8 μm for 0.5 and 0.8 mm pitch FFC. 10 to 15 μm for 1.00 and 2.54 mm pitch FFC.

- Tinning material: tin-copper alloy.

The hot bar soldering process


Connection with connectors

AXON' offers flat cables for connectors with a locking system. Specially punched FFC's maximise stability. Used with a robust housing, it prevents warping.




AXON' punching process is camera-driven for a very high degree of precision.

AXON' can develop specific punched shapes as required.



© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com



Shielding expertise

AXON' offers shielded flat cables with aluminium tape. The company is able to ground one or several conductors to the shield (same voltage level and EMI performance).

To characterize the shielding of flat or round cables, AXON' uses the "Transfer Impedance ZT" parameters, expressed in ohms/m. As this notion depends on the type of product, rather than on the application, it is better suited to accurately characterize shielding performance than the alternative notion of "shielding efficiency", given in dB.

AXON' is equipped with comprehensive test benches to characterize transfer impedance of round and flat cables as well as terminated harnesses.

Measurement of the shield resistance

Shielding efficiency is measured on a network analyser using the microstrip method.

The connection between the cable and the coaxial cable of the network analyser is made possible with an interface PCB which links the flat cable's ZIF connectors to the coaxial connectors.

AXON's standard shielded FFC's are usually used for static applications. For dynamic applications, please contact us for more details.




SHIELDED FLAT FLEXIBLE CABLES



MICROSTRIP INJECTION TEST BENCH TO CONTROL TRANSFER IMPEDANCE

This graph shows the shielding efficiency of two different cables in terms of transfer impedance. The lower the transfer impedance (Z_T) the more efficient the shielding.

Shielding efficiency



cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com



Flex-life

The flex-life of AXON' FFC's depends on the choice of conductor/insulation tape combination.


To meet the different requirements of flex life in dynamic applications, AXON' offers a range of FFC's to withstand an increasing number of flex cycles.

The sample is fitted between two plates. The bottom plate slides back and forth and the top one remains still. The cycle is repeated until the first conductor breaks.


The performance of our cables are defined in the datasheets in this brochure.



FLEX-LIFE TEST



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com



Gold plated Flat Flexible Cables

AXON' offers flat cables with a fine gold coating over nickel on the stripped ends. Gold coating guarantees the absence of tin whiskers. *Whiskers are filaments or knots which can grow from metal such as tin after several months, with the risk of producing short circuits between fine pitch conductors.* AXON' can offer stripped gold plated flat cables in different pitches compatible with a large range of gold contact connectors.

These gold plated cables have been designed for board-to-board interconnections in miniaturised electronic products, which require fine pitch flat cables.

Gold Plated stripped ends are coated with:

- nickel, 0.3µm min.
- and gold, 0.05 μm min.

The nickel coating is a barrier to avoid the migration of gold into the copper. It also improves the protection of the conductors against corrosion.

Thanks to a flexible manufacturing process, AXON' can offer different thicknesses of nickel and gold plating depending on the application.

AXON' gold plated cables successfully withstand salt spray testing.


Custom-designed Flat Flexible Cables

AXON' is able to offer custom-designed Flat Flexible Cables such as :

- Ultraflex,
- 2.54 mm pitches,
- Hybrid pitches,
- Special reinforcement, (easy-to-insert, colour, ...),
- 300V cables,
- Black cables,
- Printed line on the cable to help for connector assembly.
- Folds,
- Specific printing on the insulation,
- Adhesive tapes for fixation.



GOLD PLATING AT EXPOSED ENDS



CUSTOM-DESIGNED FLAT FLEXIBLE CABLES

cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Flat Cables

FFC-Flat Flexible Cables AX0JUMP™

Designed for board-to-board interconnections in electronic sustems. Axojump™ Flat Flexible Cables (FFC) are made up of flat tin or gold plated copper conductors insulated with Polyester or Polyimide tapes. From 0.30 mm pitch for space saving to 1.25 mm, a large variety of pitches is available to suit your needs. In addition to the standard range, AXON' has developed custom designed flat flex cables incorporating folds, shields, notches, punching, slitting or marking. Flat Flexible Cables are compatible with ZIF and LIF connectors.







0.30 mm pitch Flat Flexible Cables

General characteristics

Temperature rating: up to 105°C. Voltage rating: up to 30V AC.

Conductor

15

Pitch: 0.30 mm. Width: 0.20 \pm 0.015 mm. Conductor thickness: 0.035 mm typical value. Max. conductor resistance: 2800 (Ω /km) at 20°C.

Conductor plating

Gold: 0.3µm Ni (mini) / 0.05µm Au.

Insulation

Polyester insulation with flame retardant adhesive. White colour.



_0.30 MM PITCH STANDARD FLAT FLEXIBLE CABLE.


Connection scheme

With ZIF connectors

- Reinforcement tape: Polyester L code.
- Blue colour.



General drawing



cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

•••••••

0.30 mm pitch Flat Flexible Cables


Processing forms

Type A

Reinforcements at both ends, on the same side.

Type D

Reinforcements at both ends, on opposing side.



0.30 MM PITCH GOLD PLATED FLAT FLEXIBLE CABLE.

Dimensions

Pitch: P (mm)	0.30 ± 0.03
Number of conductors: N	11 to 51
Span: E (mm)	(N-1)*0.30 ± 0.03
Width: W (mm) (on connection area)	$(N+1)^*0.30 \pm 0.03$
Margin: M (mm)	0.30 ± 0.05
Strip length: S1-S2 (mm)	4.00 ± 0.80
Reinforcement length: F1-F2 (mm)	8.00 ± 2.00
Insulated length: L (mm)	42 to 60 ± 2 61 to 100 ± 3 101 to 200 ± 4 201 to 500 ± 5
Thickness at end of cable: T (mm)	0.20 ± 0.03
Cable thickness: th (mm)	0.12 (typical value)

Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахојитрти о-

JЗ

0.30 mm pitch Flat Flexible Cables

FLAT CABLES

Electrical properties

14

Q


	Testing conditions	Values
Dielectric Test (V AC) - Min	Conductor to conductor, during 1 minute	100
Current rating (A) - Max	FFC at 23°C Allowable temperature rise : 40°C	0.30
Insulation resistance (M Ω .m min)	Conductor to conductor	10 at DC 100V
Continuity test	DC 3.0 V at 0.1mA	Passed
Impedance cond/cond balanced method (typical value)	FFC without shielding at 1MHz	145 Ω
Capacitance cond/cond balanced method (typical value)	FFC without shielding at 1KHz	70 pF/m

Other properties

	Testing conditions	Characteristics	
Heat resistance	113°C, 168 hours	Dielectric test Pass Insulation resistance Pass	
Thermal shock	(-55°C x 30 min → 25°C x 5 min → 85°C x 30 min → 25°C x 5 min) x 25 cycles	Dielectric test Insulation resistance	Passed Passed
Cold coiling	-40°C, 96 hours The sample is initially wound on a mandrel of 3 mm	At room temperature: Visual inspection Dielectric test Insulation resistance	Passed Passed Passed
Wear by abrasion	Test following EN3475-503 Weight: 500 g Speed: 60 cycles/min Abrasion tool: $\emptyset = 0.50$ mm	Dielectric test Insulation resistance: After 500 cycles	Passed
Flame resistance	UL 758	VW-1	Passed
Folding	The specimen is folded manually at 180°	Continuity after more than 20 times	Passed
Moisture resistance	60°C, 95% RH, 96 hours	Dielectric test Insulation resistance	Passed Passed
Flex-life	Speed 100 cycles /min Flex-life test is performed at 23°C.		
Number of cycles (typical values)	R +/- 20mm	Radius 10 mm	500 000

cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

0.30 mm pitch Flat Flexible Cables



Identification code

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахојитр™₀

0.50, 1.00 and 1.25 mm pitch Flat Flexible Cables 100 micron conductors

Standard versions

General characteristics

Temperature rating: up to 105°C. Voltage rating: up to 60V AC.

Conductor

16

Pitch (mm)	Width (mm)	Max conductor resistance (Ω/km) at 20°C	Conductor thickness (mm)
0.50	0.30 ± 0.02	730	0.10 ± 0.015
1.00	0.70 ± 0.03	300	0.10 ± 0.015
1.25	0.80 ± 0.03	280	0.10 ± 0.015




0.50 MM PITCH STANDARD FLAT FLEXIBLE CABLE

Conductor plating

Tin	0.4 µm mini
Gold	0.3 µm Ni mini / 0.05 µm Au

Insulation

Polyester insulation with flame retardant adhesive. White colour.



1.00 MM PUNCHED FLAT FLEXIBLE CABLE.

Connection schemes

With ZIF connectors

Reinforcement tape: Polyester K code. Blue colour.

Hot bar soldering

Reinforcement tape: Polyimide H code. Natural colour (amber).

Manual soldering

Code for the end: T. F1 ; F2 = 2.50 mm.






© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

••••••••••

General drawing



Processing forms

Type A

Reinforcements at both ends, on the same side.

Dimensions

Type D

Reinforcements at both ends, on opposing side.



Pitch: P (mm)	0.50 ± 0.05	1.00 ± 0.08	1.25 ± 0.10
Number of conductors: N	6 to 80	4 to 60	4 to 60
Span: E (mm)	(N-1)*0.50 ± 0.10	(N-1)*1.00 ± 0.15	(N-1)*1.25 ± 0.15
Width: W (mm)	$(N+1)^*0.50 \pm 0.06$	$(N+1)^{*}1.00 \pm 0.10$	$(N+1)^{*}1.25 \pm 0.15$
Margin: M (mm)	0.50 + 0.15/-0.096	1.00 ± 0.20	1.25 ± 0.20
Strip length: S1-S2 (mm)	2.00 to 10.0 \pm 0.80 (standard value: 4 mm)		
Reinforcement length: F1-F2 (mm)	6.00 to 20.0 \pm 2.00 (standard value: 8 mm)		
Insulated length: L (mm)	$20 \text{ to } 60 \pm 2$ $201 \text{ to } 3999 \pm 5$ $61 \text{ to } 100 \pm 3$ $4000 \text{ to } 5999 \pm 10$ $101 \text{ to } 200 \pm 4$ $6000 \text{ to } 9999 \pm 15$		4000 to 5999 ± 10
Thickness at end of cable: T (mm)	0.30 ± 0.05 (only for ZIF connectors)		
Cable thickness: th (mm)	0.25 typical		

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахоп'

ахојитр™ о

0.50, 1.00 and 1.25 mm pitch Flat Flexible Cables 100 micron conductors

Electrical properties

18


Q

	— 11 111	Pitch		
	Testing conditions	0.50	1.00	1.25
Dielectric Test (V AC) - Min	Conductor to conductor, during 1 minute	200	400	500
Current rating (A) - Max	FFC at 23°C Allowable temperature rise: 40°C	0.55	1.25	1.40
Insulation resistance (M Ω .m min)	Conductor to conductor	10 at DC 200V	10 at DC 400V	10 at DC 500V
Continuity test	DC 3.0 V at 0.1mA	Passed	Passed	Passed
Impedance cond/cond balanced method (typical value)	FFC without shielding at 1MHz	130 Ω	120 Ω	130 Ω
Capacitance cond/cond balanced method (typical value)	FFC without shielding at 1KHz	62 pF/m	50 pF/m	30 pF/m

Other properties

	Testing conditions	Characteristics	
Heat resistance	136°C, 168 hours Dielectric test Insulation resistance		Passed Passed
Thermal shock	(-55°C x 30 min \rightarrow 25°C x 5 min \rightarrow 85°C x 30 min \rightarrow 25°C x 5 min) x 25 cycles	Dielectric test Insulation resistance	Passed Passed
Cold coiling	-40°C, 96 hours The sample is initially wound on a mandrel of 3 mm	At room temperature: Visual inspection Dielectric test Insulation resistance	Passed Passed Passed
Wear by abrasion	Test following EN3475-503 Weight: 500 g Speed: 60 cycles/min Abrasion tool: $\emptyset = 0.50$ mm	Dielectric test Insulation resistance: After 10 000 cycles	Passed
Flame resistance	UL 758	VW-1	Passed
Solderability (tin plated conductors)	Immersion of the area which is intended for soldering into a tin bath at 250 \pm 10°C During 30 seconds	No insulation separation Solder reflow below 1 mm	Passed Passed
Folding	The specimen shall be folded manually at 180°	Continuity after more than 20 times	Passed
Moisture resistance	60°C, 95% RH, 96 hours	Dielectric test Insulation resistance	Passed Passed
Flex-life (typical values)	speed 100 cycles /min Flex-life tests are performed at 23°C.	Radius 10 mm	100 000 cycle:







_0.50 MM PITCH GOLD PLATED FLAT FLEXIBLE CABLE


1.25 MM PITCH FLAT FLEXIBLE CABLE

UL compliance

With code A: the products are UL compliant. With code B: the products are UL certified style 20706 and shipped with UL labels. Temperature rating: 105°C; Voltage rating: 60V AC. AXON'Cable UL file number: E45046. Marking definition on the cable: FFC with L> 30 mm and W> 9mm will have black printing on one side with the following text: "AXON'CABLE – M – AWM – STYLE 20706 – 105C – 60V – VW-1"

Special designs

Special designs available on request, such as specific shapes for connectors with locking systems.




Cable 4 interconnect Cable 4 interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахојитрти о-

FLAT CABLES

Identification code

20



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Flexible and extra-flexible versions

General characteristics

Temperature rating: up to 105°C. Voltage rating: up to 60V AC.

Conductor

Pitch (mm)	Width (mm)	Max Conductor Resistance (Ω/km) at 20°C	
		Flexible (50 µm)	Extra flexible (35 µm)
0.50	0.30 ± 0.02	1460	2200
1.00	0.70 ± 0.03	550	790
1.25	0.80 ± 0.03	480	710
Conductor thickne	ess (typical value)	0.05 mm	0.035 mm

Conductor plating

Tin	0.4 µm min
Gold	0.3 µm Ni min / 0.05 µm Au

Insulation

Polyester insulation with flame retardant adhesive. White colour.

Connection schemes

With ZIF connectors

Reinforcement tape: Polyester B code. Blue colour.



Hot bar soldering


Reinforcement tape: Polyimide H code. Natural colour (amber).



ахојитрт о

2)

General drawing



Processing forms

Type A

Reinforcements at both ends, on the same side.



Type D

Reinforcements at both ends, on opposing side.

Dimensions

Pitch: P (mm)	0.50 ± 0.05	1.00 ± 0.08	1.25 ± 0.10
Number of conductors: N	6 to 80	4 to 60	4 to 60
Span: E (mm)	(N-1)*0.50 ± 0.10	(N-1)*1.00 ± 0.15	(N-1)*1.25 ± 0.15
Width: W (mm)	$(N+1)^*0.50 \pm 0.06$	$(N+1)^{*}1.00 \pm 0.10$	$(N+1)^{*}1.25 \pm 0.15$
Margin: M (mm)	0.5 +0.15/-0.096	1.00 ± 0.20	1.25 ± 0.20
Strip length: S1-S2 (mm)	2.00 to 10.0 \pm 0.80 (standard value: 4 mm)		
Reinforcement length: F1-F2 (mm)	6.0	0 to 20.0 \pm 2.00 (standard va	lue: 8 mm)
Insulated length: L (mm)	$20 \text{ to } 60 \pm 2$ $201 \text{ to } 3999 \pm 5$ $61 \text{ to } 100 \pm 3$ $4000 \text{ to } 5999 \pm 10$ $101 \text{ to } 200 \pm 4$ $6000 \text{ to } 9999 \pm 15$		4000 to 5999 ± 10
Thickness at end of cable: T (mm)	0.30 ± 0.05 (only for ZIF connectors)		
Cable thickness: th (mm)	Flexible: 0.14 / Extra flexible: 0.12 (typical value)		

axon'

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

••••••

Electrical properties

	Testine conditions	Pitch		
	Testing conditions	0.50	1.00	1.25
Dielectric Test (V AC) - Min	Conductor to conductor, during 1 minute	200	400	500
Current rating (A) - Max Flexible conductor	FFC at 23°C	0.40	0.80	0.85
Current rating (A) - Max Extra flexible conductor	Allowable temperature rise : 40°C	0.35	0.80	0.80
Insulation resistance (M Ω .m min)	Conductor to conductor	10 at DC 200V	10 at DC 400V	10 at DC 500V
Continuity test	DC 3.0 V at 0.1mA	Passed	Passed	Passed
Impedance cond/cond balanced method (typical value)	FFC without shielding at 1MHz	150 Ω	150 Ω	170 Ω
Capacitance cond/cond balanced method (typical value)	FFC without shielding at 1KHz	50 pF/m	40 pF/m	35 pF/m

Other properties


	Testing conditions	Characteristi		cs
Heat resistance	136°C, 168 hours	Dielectric Insulation res		Passed Passed
Thermal shock	(-55°C x 30 min → 25°C x 5 min → 85°C x 30 min → 25°C x 5 min) x 25 cycles	Dielectric Insulation res		Passed Passed
Cold coiling	-40°C, 96 hours The sample is initially wound on a mandrel of 3 mm	At room temp Visual insp Dielectric Insulation res	ection test	Passed Passed Passed
Wear by abrasion	Test following EN3475-503 Weight: 500 g Speed: 60 cycles/min Abrasion tool: Ø = 0.50 mm	Dielectric test Insulation resistance: After 500 cycles		Passed
Flame resistance	UL 758 VW-1		Passed	
Solderability (tin plated conductors)	Immersion of the area which is intended for soldering into a tin bath at 250 ± 10°C During 30 seconds	No insulation s Solder reflow be		Passed Passed
Folding	The specimen shall be folded manually at 180°	Continuity after more	e than 20 times	Passed
Moisture resistance	60°C, 95% RH, 96 hours	Dielectric Insulation res		Passed Passed
	Speed 100 cycles /min Flex-life test is performed at 23°C.	Radius	5 mm	10 mm
Flex-life Number of cycles (typical values)	R+/- 20mm	Flexible	20 000	2 500 000
		Extra flexible	100 000	5 000 000

axon'

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахојитрт о-

FLAT CABLES





0.50 MM PITCH STANDARD FLAT FLEXIBLE CABLE

24


0.50 MM PITCH PUNCHED FLAT FLEXIBLE CABLE

UL compliance

With code A: the products are UL compliant. With code B: the products are UL certified style 20706 and shipped with UL labels. Temperature rating: 105°C; Voltage rating: 60V AC. AXON'Cable UL file number: E45046. Marking definition on the cable: FFC with L> 30 mm and W> 9mm will have black printing on one side with the following text: "AXON'CABLE – \mathbf{N} – AWM – STYLE 20706 – 105C – 60V – VW-1"

Special designs

Special designs available on request, such as specific shapes for connectors with locking systems.



ахоп'

cable & interconnect
© 2009 - AXON'CABLE - RELEASED APRIL 2018/E
FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

FFC 1.00 A 25/0200 E 4.0-4.0-08.0-08.0 F A BB/AU **Options:** Plating on conductors -: tin plating AU: gold plating Reinforcement type (F1 & F2): B: Polyester reinforcement UL compliance: A: Without UL marking B: UL certified 20706 **Conductor thickness:** F: Flexible (50 microns) E: Extra flexible (35 microns) Reinforcement length F2 in mm (8 mm standard length) Reinforcement length F1 in mm (8 mm standard length) Strip length S2 in mm (4 mm standard length) Strip **length S1** in mm (4 mm standard length) Insulation: E Insulation length L in mm Number of conductors: N Processing form: A or D Pitch P in mm Flat Flexible Cable

Identification code

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахојитр™₀-

1.00 and 1.25 mm pitch Flat Flexible Cables 25 micron conductors

Ultra-flexible versions

General characteristics

Temperature rating: up to 105°C. Voltage rating: up to 60V AC.

Conductor

26

Pitch (mm)	Width (mm)	Max Conductor Resistance (Ω/km) at 20°C	
		Ultra Flexible (25 µm)	
1.00	0.60 ± 0.03	1500	
1.25	0.80 ± 0.03	970	
Conductor thickness (typical value)		0.025 mm	

Conductor plating

Tin	0.4 µm min
Gold	0.3 µm Ni min / 0.05 µm Au

Insulation

Polyester insulation with flame retardant adhesive. White colour.


Connection schemes

With ZIF connectors

Reinforcement tape: Polyester B code. Blue colour.



General drawing



ахоп'

CODE & INTERCONNECT © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

......

1.00 and 1.25 mm pitch Flat Flexible Cables 25 micron conductors

Processing forms

Type A

Reinforcements at both ends, on the same side.

Type D

Reinforcements at both ends, on opposing side.

Dimensions

Pitch: P (mm)	1.00 ± 0.08	1.25 ± 0.10	
Number of conductors: N	4 to 60	4 to 60	
Span: E (mm)	(N-1)*1.00 ± 0.15	(N-1)*1.25 ± 0.15	
Width: W (mm)	(N+1)*1.00 ± 0.10	(N+1)*1.25 ± 0.15	
Margin: M (mm)	1.00 ± 0.20	1.25 ± 0.20	
Strip length: S1-S2 (mm)	2.00 to 10.0 \pm 0.80 (standard value: 4 mm)		
Reinforcement length: F1-F2 (mm)	6.00 to 20.0 ± 2.00 (standard value: 8 mm)		
Insulated length: L (mm)	20 to 60 ± 2 61 to 100 ± 3 101 to 200 ± 4	201 to 3999 ± 5 4000 to 5999 ± 10 6000 to 9999 ± 15	
Thickness at end of cable: T (mm)	0.30 \pm 0.05 (only for ZIF connectors)		
Cable thickness: th (mm)	0.11 (typical value)		

Electrical properties

		Pitch	
	Testing conditions	1.00	1.25
Dielectric Test (V AC) - Min	In air, during 1 minute	400	500
Current rating (A) - Max Ultra Flexible conductor	FFC at 23°C Allowable temperature rise : 40°C	0.5	0.6
Insulation resistance conductor to conductor (M $\Omega.m$ min)		10 at DC 400V	10 at DC 500V
Continuity test	DC 3.0 V at 0.1mA	Passed	Passed
Impedance cond/cond balanced method (typical value)	FFC without shielding at 1MHz	90 Ω	90 Ω
Capacitance cond/cond balanced method (typical value)	FFC without shielding at 1KHz	30 pF/m	25 pF/m

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахоп'_

1.00 and 1.25 mm pitch Flat Flexible Cables 25 micron conductors

Other properties

28

	Testing conditions	Characteristi		cs
Heat resistance	136°C, 168 hours	Dielectric Insulation re		Passed Passed
Thermal shock	(-55°C x 30 min → 25°C x 5 min → 85°C x 30 min → 25°C x 5 min) x 25 cycles	Dielectric test Insulation resistance		Passed Passed
Cold coiling	-40°C, 96 hours The sample is initially wound on a mandrel of 3 mm $$			Passed Passed Passed
Wear by abrasion	Test following EN3475-503 Weight: 500 g Speed: 60 cycles/min Abrasion tool: Ø = 0.50 mm	Dielectric test Insulation resistance: After 500 cycles Pass		Passed
Flame resistance	UL 758	VW-1		Passed
Solderability (tin plated conductors)	Immersion of the area which is intended for soldering into a tin bath at $250 \pm 10^{\circ}$ C During 30 seconds	No insulation s Solder reflow b		Passed Passed
Folding	The specimen shall be folded manually at 180°	The specimen shall be folded manually at 180° Continuity after more than 20 times		Passed
Moisture resistance	60°C, 95% RH, 96 hours	Dielectric Insulation re		Passed Passed
Flex-life	Speed 100 cycles /min Flex-life test is performed at 23°C.	Radius	5 mm	10 mm
Number of cycles (typical values)	R +/- 20mm	Ultra flexible	10 000 000	70 000 000





FLEX LIFE TEST

ULTRA-FLEXIBLE FLAT CABLE

UL compliance

With code A: the products are UL compliant.

With code B: the products are UL certified style 20706 and shipped with UL labels.

Temperature rating: 105°C; Voltage rating: 60V AC.

AXON'Cable UL file number: E45046.


Marking definition on the cable:

FFC with L> 30 mm and W> 9mm will have black printing on one side with the following text: "AXON'CABLE – \mathbf{N} – AWM – STYLE 20706 – 105C – 60V – VW-1"

axon'

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Identification code



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахојитр™₀-

Shielded Flat Flexible Cables

General characteristics

Temperature rating: up to 105°C. Voltage rating: up to 60 V AC.

Conductor

30

Pitch (mm)	Width (mm)	Max Conductor Resistance (Ω/km) at 20°C
0.50	0.30 ± 0.02	1460
1.00 0.70 ± 0.03		550
Conductor thickness (Typical value)		0.05 mm

Conductor plating

Tin	0.4 µm min
Gold	0.3µm Ni min / 0.05µm Au

Insulation

Polyester insulation with flame retardant adhesive. White colour.

Shielding

Aluminium tape with Polyester insulation Grey colour Shielding is possible on flat cables with:

- a width W of 3.5 to 40 mm and a length L of 70 to 300 mm,

> For other dimensions (Please contact us for further information).

> Version S

Aluminium shielded version without grounding.

> Version G + grounded tracks (for example G2-5)

Aluminium shielded version with grounding (no limit for the number of grounds).

Connection scheme


With ZIF connectors

Polyester reinforcement tape.
Blue colour.



Shielded Flat Flexible Cables

General drawing



Processing forms

Type A

Reinforcements at both ends, on the same side.

Type D

Reinforcements at both ends, on opposing side.

Dimensions

Pitch: P (mm)	0.50 ± 0.05	1.00 ± 0.08	
Number of conductors: N	6 to 80	4 to 60	
Span: E (mm)	$(N-1)*0.50 \pm 0.10$	$(N-1)^*1.00 \pm 0.15$	
Width: W (mm)	$(N+1)^*0.50 \pm 0.10$	$(N+1)^{*}1.00 \pm 0.10$	
Margin: M (mm)	0.50 +0.15/-0.096	1.00 ± 0.20	
Strip length: S1-S2 (mm)	2.00 to 10.0 \pm 0.80 (standard value: 4 mm)		
Reinforcement length: F1-F2 (mm)	6.00 to 20.0 \pm 2.00 (standard value: 8 mm)		
Shielding position: D1-D2(mm)	(F1 or F2 max + 1) ± 3		
Insulated length: L (mm)	70 to 100 \pm 3 101 to 200 \pm 4 201 to 300 \pm 5		
Thickness at end of cable: T (mm)	0.30 ± 0.05		
Cable thickness: th (mm)	0.22 (typical value) 0.28 (typical value)		

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ахоп

ахојитр™ ₀_

Electrical properties

32

Ŷ

		Pitch	
	Testing conditions	0.50	1.00
Dielectric Test (V AC) - Min	Conductor to conductor, during 1 minute	200	400
Current rating (A) - Max FFC at 23°C Allowable temperature rise: 40°C	Flexible conductor	0.50	1.00
Insulation resistance (M Ω .m min)	Conductor to conductor	10 at DC 200V	10 at DC 400V
Continuity test	DC 3.0 V at 0.1mA	Passed	Passed
Impedance cond/cond balanced method (typical value)	FFC with shielding at 1 KHz	67 Ω	60 Ω
Impedance cond/shielding (typical value)	FFC with shielding at 1 KHz	45 Ω	40 Ω
Capacitance cond/cond balanced method (typical value)	FFC with shielding at 1 KHz	230 pF/m	220 pF/m
Capacitance cond / shielding (typical value)	FFC with shielding at 1 KHz	470 pF/m	500 pF/m

Other properties

	Testing conditions	Characteristics	
Heat resistance	113°C, 168 hours	Dielectric test Insulation resistance	Passed Passed
Thermal shock	(-55°C x 30 min → 25°C x 5 min → 85°C x 30 min → 25°C x 5 min) x 25 cycles	Dielectric test Insulation resistance	Passed Passed
Cold coiling	-40°C, 96 hours The sample is initially wound on a mandrel of 3 mm	At room temperature: Visual inspection Dielectric test Insulation resistance	Passed Passed Passed
Wear by Abrasion	Test following EN3475-503 Weight: 500 g Speed: 60 cycles/min Abrasion tool: $\emptyset = 0.50$ mm	Dielectric test Insulation resistance: after 500 cycles	Passed
Flame resistance	UL 758	VW-1	Passed
Solderability (tin plated conductors)	Immersion of the area which is intended for soldering into a tin bath at 250 \pm 10°C During 30 seconds	No insulation separation Solder reflow below 1 mm	Passed Passed
Folding	The specimen shall be folded manually at 180°	Continuity after more than 20 times	Passed
Moisture resistance	60°C, 95% RH, 96 hours	Dielectric test Insulation resistance	Passed Passed
Flex-life Number of cycles (typical values)	Speed 100 cycles /min Flex-life test is performed at 23°C.		
	R+/- 20mm	Radius 10 mm	100 000 cycles

axon'

cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

......

Shielded Flat Flexible Cables

UL compliance

UL compliance only for shielded FFC without grounding. With code A: the products are UL compliant. With code B: the products are UL certified style 20706 and shipped with UL labels. Temperature rating: 105°C; Voltage rating: 60V AC. AXON'Cable UL file number: E45046. Marking definition on the cable: FFC with L > 30 mm and W > 9mm will have black printing on one side with the following text: "AXON'CABLE – **SD** – **AWM – STYLE 20706 – 105C – 60V – VW-1**"




SHIELDED FLAT FLEXIBLE CABLES



ахојитрт о



Identification code



cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Flat Cables with round pins AXOSTRIP™

AXOSTRIP™ is a flat cable with round pins which can be soldered or inserted to achieve board-to-board interconnections.



Advantages

- High flexibility,


- High resistance to vibration and bending: reliable connection joint,
- Lower production costs: wave-soldered with the other components onto the PCB in the same operation,
- Lower purchasing costs since no connectors are required for type C and type A,
- Type B and type D are dismountable, only one connector is needed,
- Preparation wire stripping and cutting to length is not required,
- ZIF interface if needed (when flat conductors on one end).

General characteristics

100

ARAMID INSULATED AXOSTRIP®

Conductor



Insulation

Polyester, Polyimide or Aramid.

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Processing forms


Type B or type D

36

Q


Tin plated copper round conductors on one end with flat conductors on the other end.


FLAT CABLES



Type C or type A

Tin plated copper round conductors on both ends, straight on both sides.














STANDARD RFC TYPE B

STANDARD RFC TYPE C

Dimensions

Pitch P (mm)	1.00	1.25/1.27	1.90	2.00	2.54	5.08
Max. number of conductors	50	50	38	37	32	13
Insulated length (mm) L	15 to 999					
Pin diameter (mm) Ø	0.32	0.32	0.40	0.40	0.51	0.51
Standard wire gauge (AWG)	28	28	26	26	24	24
Flat conductor width (mm) C	0.7	0.8	1.3	1.3	1.5	1.5
Flat conductor thickness (mm)	0.115	0.10	0.10	0.10	0.12	0.12
Margin (mm) M	1.00	1.25/1.27	1.905	2.00	2.54	2.54

Other pitches and designs available on request.

Type of insulation tape

Pitch	1 P (mm)	1.00	1.25/1.27	1.90	2.00	2.54	5.08
	Polyester 105°C		В		F	1	
Insulation tape	Aramid 125°C			W			
Polyimide 125°C		Z					

Electrical properties

Pitch P (mm)	1.00	1.25/1.27	1.90	2.00	2.54	5.08
Max. current rating at 20°c (A)	1	1.6	2.0	2.0	3.0	3.0
Max. voltage rating (VAC)	60	60	300	300	300	300

ахоп' © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com



Identification code

RFC 2.54	A 08	/0075	Н	3.5 -	3.5 -	18.0	· 18.0	S	Α	Р	P	Reinforcement type (F2): - : no tape (for Type B or C) P: Pull-up tape protection for Type A or D
					 Reinforcement type (F1): P: Pull-up tape protection (only for Type A) L: Polyester reinforcement for Type B or D - : no tape (only for Type C) 							
										Tape marking : A : Not marked		
										Conductor thickness S (standard)		
												Reinforcement length or pull-up protection F2 in mm 0 mm standard length for Type B or C 18 mm standard length for Type A or D
												Reinforcement length or pull-up protection F1 in mm 0 mm standard length for Type C 8 mm standard length for Type B or D 18 mm standard length for Type A
												Strip length S2 in mm: (3.5 mm standard length for Type A, B, C or D)
												Strip length S1 in mm: 4 mm standard length for Type B or D 3.5 mm standard length for Type A or C
												Insulation tape: H, B, W or Z (see above table) H: Polyester W: Aramid (Nomex® B: Polyester Z: Polyimide (Kapton®
												Insulated length L (mm)
												Number of conductors N
												Processing form: Type A, B, C or D
												Pitch P in mm
												Round to Flat Cable: AXOSTRIP®

Cable & interconnet © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

••••••

FLAT CABLES

Bulk Flat Flexible Cables

FLEXLINK[™] is a range of flat flexible cables supplied on the reel for any application where space reduction and flexibilitu are the most important criteria. They can be installed in printers and computers for consumer electronics. used for special machines or for board-to-board connections. Bulk flexible flat cables can also be used for the cabling of switch rotary connectors for airbaq® modules. AXON' offers standard as well as custom designed versions for switch rotary connectors.

Standard bulk Flat Cables FLEXLINK™


Advantages

- Very flexible cables,
- Space saving cabling,
- Compatible with most crimp contacts.

General characteristics

- Temperature rating:
- Polyester insulation: -40°C to +105°C
- Polyimide insulation: -90°C to +200°C
- Standard packaging:
- •150 m for Polyester insulated flat cables,
- 20 m for Polyimide insulated flat cables,
- Bare copper or tin plated copper conductors,
- Polarization on track 1 if required.

General drawing



Dimensions

Conductor reference	S	М	L
Pitch P (mm)	1.27	2.54	2.54
Total width W (mm)	1.27 x (N+1)	2.54 x (N+1)	2.54 x (N+1)
Margin width M (mm)	1.27	2.54	2.54
Cable thickness T (mm) for Polyester version	0.28	0.28	0.28
Cable thickness T (mm) for Polyimide version	0.20	0.20	0.20



BULK FLAT FLEXIBLE CABLE PRODUCTION

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

40

ахоп

Electrical properties

Conductor chara	S	М	L			
Current rating (A)	0.9 max.	0.9 max. 3.0 max.			
Voltage rating (V	A.C.)	300 max.				
Insulation resistance conductor to c	Insulation resistance conductor to conductor (M Ω . m min)			10 at 500 V DC		
Capacitance (typical value at 1KHz)	Cb (balanced, pF/m)	52	40	33		
	Co (unbalanced, pF/m)	75	56	46		
Impedance (typical value at 1KHz)	Zb (balanced, Ω)	162	157	180		
	Zo (unbalanced, Ω)	110	110	130		
Resistance (Ω /km max	410	194	240			


Special assemblies

Flexlink[®] cable with crimped contacts

= $=$ $=$ $=$		
$\equiv \equiv \equiv \equiv$		
$\equiv \equiv \equiv \equiv$		
= $=$ $=$ $=$	= $=$ $=$ $=$ $=$	
= $=$ $=$ $=$	= $=$ $=$ $=$ $=$	=== 0
====		

Connector assemblies on request.

Identification code



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com



BULK FLAT CABLE

Custom-designed cables for switch rotary connectors

FLAT CABLES

General characteristics

Conductor


42


Thickness: between 0.035 and 0.20 mm. Width: between 0.80 and 10 mm. Copper or tin plated copper. Different conductor widths can be mixed in the same hybrid cable.

Insulation

Polyester insulation with flame retardant adhesive.

Processing forms





BULK FLAT CABLE



CABLE ASSEMBLY FOR SWITCH ROTARY CONNECTOR

Specific tests


- Flexion,
- Torsion,
- Dry heat or with humidity,
- Salt spray,
- Cassette rotation test (between
- -40°C/+90°C with or without humidity).

Don't hesitate to contact us for specific requirements.

coble & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

•••••••••

Flat Cable Assemblies



FDC-Flat Display Connections AXOLINK™

FDC-Flat Display Connections are made from AXOJUMP™ Flat Flexible Cables and industry standard display connectors such as DF-9, DF-19, Fl-SE or Fl-X.

Advantages

Small dimensions: low profile, narrow width design, Low cost, high reliability, Excellent flexibility and flex-life.

General characteristics

0.50 mm, 1.00 mm and 1.25 mm pitches, Standard FFC, ZIF interface FDC with DF-9 cable assemblies are compliant with VESA (Video Electronics Standard Association) FPDI-1 (Flat Panel Display Interface),

Product availability

	Connector type				
	DF-9**	DF-19*	FI-SE*	FI-X*	
FFC type					
0.50 (mm)	Х				
1.00 (mm)		Х		Х	
1.25 (mm)			Х		
Number of condu	ctors				
14		Х		х	
20		Х	Х	х	
30		Х		Х	
31	Х				
41	х				


*Standard version is shielded for these connector types. Non shielded versions also available. **Standard version is non-shielded (shielded version on request). All versions can be supplied with custom folds.





31 WAY FDC WITH DF-9 CONNECTOR

Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com




axon'

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

•••••••••••••••

DF19 Non-shielded version (FDC), shielded version (FDB). EMM29 EMM30 Ē - 12 PIN₁ PIN1 PIN1 PIN1 FMZ31 FMZ32 ſ Τ L PIN1 PIN1




axolink™

99

45

FDC WITH DF-19 CONNECTOR



FI-X

__

ZIF

FMZ40

ZIF

FMZ39

FI-X


41 WAY FDC WITH DF-9 CONNECTOR



41 WAY FDC WITH DF-9 CONNECTOR

Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Dimensions



Where there is a ZIF connector at one end, the standard number of ways for the ZIF will be 2 more than the DF-19/FI-SE/FI-X connector at the other end (for DF-9 versions the number of ways is equal for both connectors). If same number of ways (14, 20 or 30) is required for the ZIF on DF-19/FI-SE/FI-X versions, AXON' can punch the ZIF end to ensure compatibility.

Off-the-shelf products

AXON' keeps several standard lengths of Flat Flexible Cables in stock with 31 or 41 conductors for the different assembly types to assure a short delivery time. Immediately after receipt of your order, the termination process is started. Any connector configuration shown on the following pages is possible.

axon'

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

••••••

Standard AXOLINK™ assembly lengths


- 76 mm
- 102 mm
- 254 mm

- 203 mm

- 152 mm

2041

Processing forms



Quick prototyping for electrical validation

AXON' can provide small quantities of AXOLINK[™] prototypes for electrical validation. Dependent on the availability of cable, AXON' may propose the exact length required or a slightly different length to provide the quickest response.

axolink™

47

Special products

AXON' can also provide special AXOLINK $\ensuremath{^{\rm TM}}$ products, in particular:


- special number of conductors
- special markings,
- any special length,
- moisture protection of the assembly,
- folded versions,
- ferrites on the assembly,
- shielding,
- shielding with grounding,
- gold plating: for DF-19/FI-SE and FI-X the gold plating available on the ZIF end.

For "ZIF" ending of DF-19 / FI-SE / FI-X versions, connector ways = number of conductors + 2.

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Identification code

48 ⊶



Any special version on request



Flat Display Connections for High Speed (LVDS) and Ultra High Speed (UHS) transmission: FDC 100®


FDC 100® is a 100 ohm shielded Flat Cable Assembly, designed for connecting HD and ultra high definition flat displays. The FDC 100® is the connection between the motherboard to the display on larger HD television displays (LCD LED, plasma and LCD monitors).



FDC 100® UHS - ZIF VERSION

Advantages

- Connector with a simple connection system: no need to have an extra metal link between the PCB connector and the cable shield.
- Foldable to make installation easier.
- Small size.
- High flexibility.
- 100Ω differential impedance.






General characteristics

- Made with a shielded flat cable only or a shielded flat cable connected with an innovative connector designed by AXON'.
- 21, 31, 41 and 51 way 0.50 mm pitch shielded flat cable with gold plated conductor ends, terminated with connectors compatible with the board-mount FI-R connectors.
- Compatible with ZIF Molex and FH41 Hirose connectors.

General drawing

FDC 100[®] - 0.50 mm pitch Connector compatible with FI-R PCB mounted connector.



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

ЦŊ

FDC 100® with FI-R connectors

Dimensions

•

50 ~

ltems	Materials and Finishes				
1	FFC	PET, copper, contact, gold plating			
2	Connector – Housing	AXON'connector mating to FI-R			
3	Connector – Cover				
4	C	lip			
llene					

ltems	Specifications					
Number of conductors N	21	31	41	51		
Pitch P		0.50 +/- 0.05 mm				
Length L		L+/- 5 mm				
Connector height H	14.95 mm					
Connector width G	25.30 mm	30.30 mm	35.30 mm	40.30 mm		

Electrical properties for cable


Contact resistance	< 40 milliohms max
Insulation resistance M $\Omega.\text{m}$ min resistance	10 at 200 V DC conductor to conductor
Dielectric test (V AC -min)	200 VAC RMS (for 1 minute) Dielectric test (V AC min)
Operating voltage	30 VAC max.
Impedance	100 +/- 10 ohms
Operating temperature	-40°C to +80°C
Humidity resistance	48H – 85°C / 95% humidity
Vibration resistance	OK (Acc 4g/ shock resistance 6g 10 ms)
Interconnection with FI-R connectors.	20 mating cycles: no change of electrical parameters.







Eye pattern FDC 100® UHS (for 700 mm length cables)


At 620 Mb/s (FI-R)






At 4 Gb/s (FI-R)









FDC 100® - UHS

FDC 100® - UHS

Cable & Interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

Y




Eye pattern FDC 100® LVDS (for 500 mm length cables)


At 50 Mbit/s

•


52 •



At 500 Mbit/s



At 1000 Mbit/s




axon'

© 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com



| FDC100® LVDS

FDC 100® for ZIF connectors




Pitch: P	0.50 ± 0.05 mm
End thickness: T	$0.30 \pm 0.05 \text{ mm}$
Thickness grounding Area: A	$0.50 \pm 0.05 \text{ mm}$
	45 to 60 \pm 2 mm
Inculated lengths I	61 to 100 ± 3 mm
Insulated length: L	101 to 200 \pm 4 mm
	201 to 1500 \pm 5 mm


axolink®

53


Version for Molex 502231



Version for Hirose FH4)



Version for Molex 501786 / 501864



Pitch: P	0.50 ± 0.05 mm
Span: E	(N-1)*0.50 ± 0.05 mm
Width: W	(N+1)*0.50 ± 0.07 mm
Width: C	(N+5)*0.50 ± 0.15 mm
Margin: M	$0.5\pm0.08~\text{mm}$
Strip length: S1/S2	$2.2 \pm 0.5 \text{ mm}$
Grounding length: G1/G2	$6 \pm 2.0 \text{ mm}$
Reinforcement length: F1/F2	$7 \pm 1.5 \text{ mm}$

Pitch : P	0.50 ± 0.05
Span: E	(N-1)*0.50 ± 0.05
Width: W	$(N+1)^*0.50 \pm 0.07$
Width: C	(N+5)*0.50 ± 0.15
Margin: M	0.5 ± 0.08
Punching: Y	$(N+1)^*0.50+1.2 \pm 0.10$
Strip length: S1/S2	2.2 ± 0.5
Grounding length: G1/G2	6 ± 2.0
Reinforcement length: F1/F2	7 ± 1.5


0.50 ± 0.05
(N-1)*0.50 ± 0.06
$(N+1)^*0.50 \pm 0.05$
$(N+9)^*0.50 \pm 0.2$
1.3 ± 0.06
$(N+1)^*0.50+1.6 \pm 0.04$
1.9 ± 0.5
6 ± 2.0
7.7 ± 1.5

Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

FDC 100® for ZIF connectors

54 •

0




Pitch : P	0.50 ± 0.05
End thickness: T	0.30 ± 0.05
Insulated length: L	45 to 60 ± 2
	61 to 100 ± 3
	101 to 200 \pm 4
	201 to 1500 ± 5

Pitch : P	0.50 ± 0.05
Span: E	(N-1)*0.50 ± 0.05
Width: W	(N+3)*0.50 ± 0.05
Width: C	(N+9)*0.50 ± 0.15
Margin: M	2.0 ± 0.08
Punching: Y	$(N+7)^*0.50 \pm 0.04$
Strip length: S1/S2	4.0 ± 0.5
Grounding length: G1/G2	6 ± 2.0


Electrical properties

	Insulation resistance	10 Mohm.m min (200 VDC)
	Impedance	100 +/- 10 ohms
Diele	ctric withstanding voltage conductor to shield	200 VAC RMS (for 1 minute)
	Operating voltage	30 VAC max
	Operating temperature	-40°C to +80°C
	Humidity resistance	48H -85°C / 95% humidity





Identification code



Cable & interconnect © 2009 - AXON'CABLE - RELEASED APRIL 2018/E FLAT FLEXIBLE CABLES AND FLAT CABLE ASSEMBLIES - www.axon-cable.com

axolink®

>> BRAZIL AXON' CABLE INDUSTRIA E COMÉRCIO LTDA

Av. Afonso Arinos de Melo Franco 222 sala 276 bloco 2b Barra da Tijuca - CEP.: 22631-455 RIO DE JANEIRO-RJ TEL.: +55 21 3596-8002 e-mail: I.moreira@axon-cable.com

>> CANADA

AXON² CABLE CANADIAN OFFICE 4578 rue Chabot H2H 1Y3 MONTREAL, QUEBEC TEL.: +1 514 898 2044 e-mail: g.hannequin@axoncable.com

>> CHINA

AXON¹ INTERCONNECT LTD High Tech Industrial Park, Chang Bao XI Road Ronggui, 528306 SHUNDE, GUANGDONG TEL.: +86 757 2838 7200 FAX: +86 757 2838 7212 e-mail: sales@axon-interconnect.com

GERMANY

AXON' KABEL GMBH Postfach 1131 - 71201 LEONBERG Hertichstr. 43 - 71229 LEONBERG TEL.: +49 7152-97992-0 FAX: +49 7152-97992-7 e-mail: sales@axon-cable.de

>> HUNGARY

AXON⁷ KÁBELGYÁRTÓ KFT. KÜLSÖ-SZEGEDI ÚT 104. H-6000 KECSKEMÉT, TEL.: +36 76 508 195 FAX: +36 76 508 196 e-mail: axon@axon-cable.hu

INDIA AXON' INTERCONNECTORS AND WIRES PVT LTD #117, Neil Rao Towers, Suite No. 1W, Road No. 3 EPIP, Whitefield BANGALORE – 560 066 TEL.: +91 80 40918186 FAX: +91 80 40918185 e-mail: sales@axon-cable.in

>> JAPAN

AXON' CABLE JAPAN OFFICE TEL./FAX: +81 26 244 2261 e-mail: axon-japan@axon-cable.com

» LATVIA

AXON' CABLE SIA Višku lela, 21 C - LV-5410 DAUGAVPILS TEL.: +371 6540 78 91 FAX: +371 6540 78 93 e-mail: axon@axoncable.lv

>> MEXICO

AXON' INTERCONEX, S.A. DE C.V. Av. Peñuelas 21-A1. Industrial San Pedrito Peñuelas Querétaro Park 76148 Querétaro, Qro. TEL: +52 442 215 2713 FAX: +52 442 220 6464 e-mail: axon-mexico@axoncable.com

>> SPAIN

AXON' CABLE SPANISH OFFICE C/Capitán Haya, N°1, Planta 15 28020 MADRID TEL.: +34 91 418 43 46 FAX: +34 91 556 28 80 e-mail: sales@axon-cable.com

UNITED KINGDOM

AXON' CABLE LTD AXON' AGORA Admiralty Park - ROSYTH DUNFERMLINE FIFE KY11 2YW TEL.: +44 1383 421500 FAX: +44 8715 282789 e-mail: sales@axon-cable.co.uk

» USA

AXON⁷ CABLE INC. 1314 N Plum Grove Road SCHAUMBURG, IL. 60173 TEL.: +1 847 230 7800 FAX: +1 847 230 7849 e-mail: sales@axoncable.com

VISIT OUR WEBSITE www.axon-cable.com



HEADQUARTERS



» AXON' CABLE S.A.S.

2 ROUTE DE CHALONS EN CHAMPAGNE - 51210 MONTMIRAIL TEL : +33 3 26 81 70 00 - FAX : +33 3 26 81 28 83 e-mail : sales@axon-cable.com - http://www.axon-cable.com

S((Q)-